

Aluminium Top Bottom Catalogue



an ISO 9001:2015 co.



a LARGEST RANGE OF
'FRAMELESS' GLASS Railing System

www.starrail.in

Version 2025-26



TABLE OF CONTENTS

1.	About Us	03
2.	Step Bracket & Cover	04 - 20
3.	Continues Profile	21 - 75
4.	Bracket	76 - 80
5.	Pipe	81 - 103
6.	L-Connector	104 - 105
7.	Plain Pipe	106 - 107
8.	Elbow	108 - 110
9.	Connector Patti	111
10.	Colour Shade	112 - 113

ABOUT US

Welcome to **Star Rail**, your trusted partner for premium aluminum railing solutions. With **18** years of expertise in the industry, we specialize in designing, manufacturing, and installing high-quality aluminum railings for residential, commercial, and industrial projects.

At **Star Rail**, we believe that railings should be more than just a safety feature—they should be a statement of style, durability, and quality. Our railings are crafted using the finest aluminum materials, ensuring a perfect balance of strength, low maintenance, and aesthetic appeal. Whether it's for balconies, staircases, decks, or custom applications, we provide solutions tailored to your unique needs.

Our team is dedicated to excellence in every aspect of our work, from initial consultation and design to the final installation. We combine innovative designs with advanced manufacturing techniques to deliver products that not only meet but exceed industry standards. With a focus on sustainability and long-lasting performance, our railings are powder-coated for enhanced resistance to weather and corrosion.

Choose **Star Rail** for your next project and experience the difference in quality, service, and craftsmanship.





an ISO 9001:2015 co.

Architecture Railing **Step Bracket & Cover** System

Material Compatibility: Made of high-strength aluminum alloy, often the same grade as the profiles they are used with.

Easy Assembly: Most fittings are designed for quick and easy assembly using standard bolts, screws, or nuts.

Corrosion Resistance: Aluminum's natural corrosion resistance makes these fittings suitable for indoor and outdoor use.

Customizability: Some fittings can be custom-made to suit specific profile sizes or design requirements.



an ISO 9001:2015 co.

Architecture Step Bracket & Cover System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Step Bracket & Cover - SRB 01



Type : Bracket & Cover System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : Step Bracket (65mm) Step Cover (13 ft./16 ft.)


Weight : Step Bracket (Approx 0.460 gm.) Step Cover (Approx 0.200/0.220 gm.) (1 ft. / 1 side)

Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture Step Bracket & Cover System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Square Bracket & Cover - SRB 02



Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Square Bracket (65mm) Square Cover (13 ft./16 ft.)
Weight	: Square Bracket (Approx 0.250 gm.) Square Cover (Approx 0.180 gm.) (1 ft. / 1 side)
Epdm	: 0.020 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Step Bracket & Cover** System



Easy and perfect installation
Weather proof




Easy Cleaning
Maintenance free



Light Weight and Robust for Higher safety
100% Recyclable

New Step Bracket & Cover - SRB 03



Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Step Bracket (65mm) Step Cover (13 ft./16 ft.)
Weight	: Heavy Bracket (Approx 0.240 gm.) Heavy Cover (Approx 0.180/0.200 gm.) (1 ft. / 1 side)
Epdm	: 0.020 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Step Bracket & Cover** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

New Step Bracket & Cover - SRB 04



Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Heavy Bracket (65mm) Heavy Cover (13 ft./16 ft.)
Weight	: Heavy Bracket (Approx 0.240 gm.) Heavy Cover (Approx 0.170/0.190 gm.) (1 ft. / 1 side)
Epdm	: 0.020 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Step Bracket & Cover** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Heavy Round Bracket & Cover - SRB 05



Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Round Bracket (65mm) Round Cover (13 ft./16 ft.)
Weight	: Round Bracket (Approx 0.480 gm.) Round Cover (Approx 0.220/0.240 gm.) (1 ft. / 1 side)
Epdm	: 0.020 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture Step Bracket & Cover System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Heavy Square Bracket & Cover - SRB 06



Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Heavy Sqaure Bracket (65mm) Heavy Sqaure Cover (13 ft./16 ft.)
Weight	: Heavy Sqaure Bracket (Approx 0.480 gm.) Heavy Sqaure Cover (Approx 0.200/0.220 gm.) (1 ft. / 1 side)
Epdm	: 0.020 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Square Cover Bottom Channel - SRB 07



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: Cover (Approx 0.190/0.220 gm.)
Epdm	: 0.120 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Cover Channel - SRB 08



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: Cover (Approx 0.160/0.190 gm.) Bracket - 65 mm = 0.340 gm.
Epdm	: 0.120 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture Railing **Continues Profile** System

Material Compatibility: Made of high-strength aluminum alloy, often the same grade as the profiles they are used with.

Easy Assembly: Most fittings are designed for quick and easy assembly using standard bolts, screws, or nuts.


Corrosion Resistance: Aluminum's natural corrosion resistance makes these fittings suitable for indoor and outdoor use.

Customizability: Some fittings can be custom-made to suit specific profile sizes or design requirements.



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Regular Feri - SRB 01



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.780/0.800 gm.) (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Commercial Feri - SRB 02



- Type : Continuous Profile System
- Use : Indoor & Outdoor
- Material : Aluminium Alloy 6063-T6
- Length : 13 ft./16 ft.
- Weight : (Approx 0.500/0.530 gm.) (1 ft.)
- Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System

www.starrail.in



Easy and perfect installation
Weather proof




Easy Cleaning
Maintenance free



Light Weight and Robust for Higher safety
100% Recyclable

Modular Feri - SRB 03



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.580/0.630 gm.) (1 ft.)
Epdm	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Triangle Feri - SRB 04



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.600/0.640 gm.)
Epdm	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Step Feri - SRB 05



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.580/0.600 gm.) (1 ft.)
Epdm	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Clip Feri - SRB 06



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.850/0.900 gm.)
Epdm	: 0.020 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

30X40 Continues Channel - SRB 07



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.400/0.440 gm.)
Epdm	: 0.060 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

60X34 Continues Channel - SRB 08




Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.650/0.680 gm.)
Epdm	: 0.120 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

80X37 Continues Channel - SRB 09



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.900/0.930 gm.)
Epdm	: 0.120 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

100X45 Continues Channel - SRB 10



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.290/1.330 kg.)
Epdm	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

117X46 Continues Channel - SRB 11



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 12 ft.
Weight	: (Approx 1.670/1.700 kg.)
Epdm	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System

www.starrail.in



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

125X70 Continues Channel - SRB 12



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 12 ft.
Weight	: (Approx 1.700/1.730 kg.)
Epdm	: 0.150 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

120X60 Continues Channel - SRB 13



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.520/1.550 kg.)
Epdm	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Modular Step Bracket & Cover - SRB 14



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 12 ft.
Weight	: Continues Profile (1.430/1.480 gm.) (1 ft.)
Epdm	: 0.060 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System



www.starrail.in



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

90X50 Continues Channel - SRB 15



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.900/0.950 gm.)
Epdm	: 0.120 gm.
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Side Mouted Profile - SRB 16



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.850/1.880 gm.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

140X90 Heavy Bottom - SRB 17



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 2.500/2.800 gm.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

50X90mm LED Bottom Channel - SRB 18



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.900/0.950 gm.)
Epdm	: 0.120 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Small Step Bottom Channel - SRB 19



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.940/0.970 gm.)
Epdm	: 0.120 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

100X55 Continues Channel - SRB 20



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.980/1.050 gm.)
Epdm	: 0.120 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

123X75 Step Bottom Channel - SRB 21



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.700/1.800 gm.)
Epdm	: 0.140 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture Continues Profile System



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Side Heavy Bottom Channel - SRB 22



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.900/1.980 gm.)
Epdm	: 0.140 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Small V - Channel - SRB 23



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.550/0.590 gm.)
Epdm	: 0.120 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

90X65 Center LED Bottom Channel - SRB 24



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.450/1.500 gm.) Bracket - 65 mm = 0.400 gm.
Epdm	: 0.140 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System

www.starrail.in



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

V Channel - SRB 25



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.160/1.200 gm.)
Epdm	: 0.120 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Round Square Feri Channel - SRB 26



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.720/0.760 gm.)
Epdm	: 0.120 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Heavy Modular Ferri Channel - SRB 27



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.590/0.640 gm.)
Epdm	: 0.130 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System



Easy and perfect installation
Weather proof




Easy Cleaning
Maintenance free



Light Weight and Robust for Higher safety
100% Recyclable

New Bottom Channel - SRB 28



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.060/1.150 gm.)
Epdm	: 0.130 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

100 X 37 mm Bottom Channel - SRB 29



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.100/1.200 gm.)
Epdm	: 0.130 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture **Continues Profile** System





Easy and perfect installation
Weather proof




Easy Cleaning
Maintenance free



Light Weight and Robust for Higher safety
100% Recyclable

110 X 60 mm Bottom Channel - SRB 30



Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.200/1.300 gm.)
Epdm	: 0.130 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize


Architecture Railing **Bracket** System

Material Compatibility: Made of high-strength aluminum alloy, often the same grade as the profiles they are used with.

Easy Assembly: Most fittings are designed for quick and easy assembly using standard bolts, screws, or nuts.

Corrosion Resistance: Aluminum's natural corrosion resistance makes these fittings suitable for indoor and outdoor use.

Customizability: Some fittings can be custom-made to suit specific profile sizes or design requirements.





an ISO 9001:2015 co.

Architecture Step Bracket System



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Step Cover Bracket - SRR 01



Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Bracket (65mm)
Weight	: Bracket (Approx 0.680 gm.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture Step Bracket System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Feri Bracket - SRR 02



Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Bracket (75mm)
Weight	: Feri Bracket (Approx 0.220 gm.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Railing Pipe System

Material Compatibility: Made of high-strength aluminum alloy, often the same grade as the profiles they are used with.

Easy Assembly: Most fittings are designed for quick and easy assembly using standard bolts, screws, or nuts.

Corrosion Resistance: Aluminum's natural corrosion resistance makes these fittings suitable for indoor and outdoor use.

Customizability: Some fittings can be custom-made to suit specific profile sizes or design requirements.





Easy and perfect installation
Weather proof




Easy Cleaning
Maintenance free



Light Weight and Robust for Higher safety
100% Recyclable


38 mm Round - SRT 01



Wall Canceled	Connector	Elbow	End Cap

Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.190 gm. (1 ft.) EPDM Gasket (Approx 0.055 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

50 mm Round - SRT 02



Wall Canceled	Connector	Elbow	End Cap

Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.290 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning

Maintenance free



Light Weight and Robust for Higher safety



100% Recyclable

65 mm Round - SRT 03




Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.460 gm. (1 ft.) EPDM Gasket (Approx 0.110 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

Slim Pipe 17 X19 mm - SRT 04



Wall Canceled | Connector | Elbow



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.110 gm. (1 ft.)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation
Weather proof



Easy Cleaning
Maintenance free




Light Weight and Robust for Higher safety
100% Recyclable


25 X 25 mm Top - SRT 05



32 X 32 mm Top - SRT 06



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.190 gm. (1 ft.) EPDM Gasket (Approx 0.055 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.180 gm. (1 ft.) EPDM Gasket (Approx 0.080 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

40 X 40 mm Top - SRT 07




Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.240/0.260 gm. (1 ft.) EPDM Gasket (Approx 0.85 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

50 X 50 mm Top - SRT 08



Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.330/0.350 gm. (1 ft.) EPDM Gasket (Approx 0.110 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

60 X 40 mm Rectangle Top - SRT 09




Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.390/0.420 gm. (1 ft.) EPDM Gasket (Approx 0.120 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

Rightangle Top - SRT 10



Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.440/0.450 gm. (1 ft.) EPDM Gasket (Approx 0.110 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Maintenance free



100% Recyclable

Incline 80 X 37 mm - SRT 11



Incline LED - SRT 12



Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.340/0.380 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.400 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning




Light Weight and Robust for Higher safety



100% Recyclable

Capcule 35 X 70 mm - SRT 13




Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.350 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

65 X 40 mm Triangle - SRT 14



Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.330 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation
Weather proof




Easy Cleaning
Maintenance free





Light Weight and Robust for Higher safety
100% Recyclable

35 X 40 mm Commercial - SRT 15



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.250 gm. (1 ft.)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

50 X 50 mm LED Pipe - SRT 16



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.420 gm. (1 ft.) EPDM Gasket (approx 0.100/0.110/feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning




Light Weight and Robust for Higher safety



100% Recyclable

50 X 50 mm Side LED - SRT 17



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.400 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

70 X 35 mm 1 Side LED - SRT 18



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.400 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof



Maintenance free



100% Recyclable

Sleem Pipe Top - SRT 19



Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.160/0.170 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Sleem Side LED Top - SRT 20



Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.160/0.170 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation
Weather proof




Easy Cleaning
Maintenance free



Light Weight and Robust for Higher safety
100% Recyclable

40 X 40 mm Side LED - SRT 21



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.280 gm. / 0.320 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

55 X 30 mm Top LED - SRT 22



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.290/0.320 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation
Weather proof



Easy Cleaning
Maintenance free



Light Weight and Robust for Higher safety
100% Recyclable

Round Duel LED - SRT 23



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.320/0.360 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

45 X 45 Center LED Top - SRT 24



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.390/0.420 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof



Maintenance free




100% Recyclable

55 X 30 mm Top - SRT 25



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.290/0.320 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

U Pipe - SRT 26



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.430 gm. / 0.460 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



100% Recyclable

Heavy Triangle Top - SRT 27



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.380 gm. / 0.410 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

70 X 35 mm Without LED - SRT 28



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.400 gm. (1 ft.) EPDM Gasket (Approx 0.110 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof



Maintenance free



100% Recyclable

70 X 30 mm 2 Side LED - SRT 29



Type : Handrail System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./16 ft.

Weight : 0.380 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)

Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

70 X 35 mm Without LED - SRT 30



Type : Handrail System

Use : Indoor & Outdoor

Material : Aluminium Alloy 6063-T6

Length : 13 ft./16 ft.

Weight : 0.360 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)

Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning




Light Weight and Robust for Higher safety



100% Recyclable

70 X 36 mm Eye Pipe - SRT 31




Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.330 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

50 X 50 mm Incline - SRT 32



Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.350 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

60 X 45 mm Diamond Pipe - SRT 33




Wall Canceled | Connector | Elbow | End Cap



Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.370/0.390 gm. (1 ft.) EPDM Gasket (Approx 0.110 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

55 X 30 mm Mini Oval - SRT 34



Wall Canceled | Connector | Elbow | End Cap



Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.300 gm. (1 ft.) EPDM Gasket (Approx 0.060 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

38 X 38 mm Star Pipe - SRT 36




Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.220/0.240 gm. (1 ft.) EPDM Gasket (Approx 0.080 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

45 X 45 mm Star Pipe - SRT 35



Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.260/0.290 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

50 X 40 mm Pipe - SRT 37




Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.250/0.270 gm. (1 ft.) EPDM Gasket (Approx 0.080 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

60 X 40 mm Four Part - SRT 38



Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.290/0.320 gm. (1 ft.) EPDM Gasket (Approx 0.090 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

70 X 30 mm Four Part - SRT 39




Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.300/0.330 gm. (1 ft.) EPDM Gasket (Approx 0.090 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

38 X 38 mm Radius - SRT 40



Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.230/0.250 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

45 X 45 mm Radius Pipe - SRT 41




Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.270/0.290 gm. (1 ft.) EPDM Gasket (Approx 0.090 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize

65 X 38 mm Crystal Diamond - SRT 42



Wall Canceled | Connector | Elbow | End Cap



Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.330 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish : Mill Finish, Coating Finish, Wood Finish, Anodize



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free



100% Recyclable

Flower - SRT 43



Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.350 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



an ISO 9001:2015 co.

Architecture | Connector System





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof



Maintenance free



100% Recyclable

Wall to Pipe Connector



SR WP - 1A



SR WP - 1A



SR WP - 1B



SR WP - 1B



SR WP - 1B



SR GP - 1A



SR GP - 1A



SR GP - 1A



an ISO 9001:2015 co.

Architecture **Plain Pipe** System



Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof



Maintenance free



100% Recyclable

Plain Pipe

40 x 40 mm





40 X 40 mm

Weight : (Approx 0.180/0.200 gm.)


50 X 50 mm

Weight : (Approx 0.210/0.230 kg.)

50 x 50 mm



38 mm




38 mm

Weight : (Approx 0.130/0.150 gm.)

50 mm

Weight : (Approx 0.180/0.210 kg.)

50 mm





38 X 38 mm Octagon

Weight : (Approx 0.150/0.170 gm.)

45 X 45 mm Octagon

Weight : (Approx 0.190/0.290 kg.)




38 X 38 mm Radius

Weight : (Approx 0.230/0.250 gm.)

45 X 45 mm Radius

Weight : (Approx 0.270/0.290 kg.)





an ISO 9001:2015 co.

Architecture **Elbow** System



Easy and perfect installation
Weather proof



Easy Cleaning
Maintenance free



Light Weight and Robust for Higher safety
100% Recyclable

Modular Band

25 X 25 mm Band



38 x 38 mm Octagon



45 x 45 mm Octagon



40 mm Round



50 mm Round



32 x 32 mm Square



40 x 40 mm Square



50 x 50 mm Square



38 x 38 mm Radius



45 x 45 mm Radius





Easy and perfect installation

Weather proof



Easy Cleaning

Maintenance free



Light Weight and Robust for Higher safety




100% Recyclable


Profile Glass Lock - 1



Profile Glass Lock - 2



Profile Glass Lock - 3



50 X 50 Cap Conceal



50 X 50 Conceal



50 mm Round Conceal



40 X 40 Cap Conceal



40 X 40 Conceal



25 X 25 Conceal





Easy and perfect installation



Easy Cleaning



Light Weight and Robust for Higher safety



Weather proof




Maintenance free




100% Recyclable

Connector Patti

Straight Connector Patti



L-connector Patti



Modular Connector Patti



Steel Anchor

SR-1 |



SR-2 |



SR-3 |



SR-4 |



SR - 1 (10 x 100 Rcc PVC Wall Plug Screw Anchor)

SR - 2 (12.5 x 100 Steel Anchor)

SR - 3 (12.5 x 75 Steel Anchor)

SR - 4 (10 x 75 Steel Anchor)



SRW - 1



SRW - 2



SRW - 3



SRW - 4



SRW - 5



SRW - 6



SRW - 7



SRW - 8



SRW - 9



SRW - 10



SRW - 11



SRW - 12



SR SP - 338



SR SW - 31BN



SR SW - 301



SR SN - 333



SR LW - 300



SR SW - 324N



ROYALE GRAY



SR - 1853



SR SW - 28BN




BLACK MATT



SR SWC - 39N



SR SW - 325N

The background of the image is a repeating pattern of the Star Rail logo, which consists of a blue star with the text "Star Rail" inside it, tilted at an angle. This pattern covers the entire page.

www.starrail.in

CONTACT US



- 📍 Plot no. : 115, Street no 2,
K.P. Industry Area,
Kothariya ring road, Rajkot
(Guj.) India. 360003
- ☎ +91 98256 19766
- ☎ +91 97370 62701
- ✉ radhekrishnainsutries27@gmail.com
- 🌐 www.starrail.in

* We reserve the rights to change the specification and designs due to continues innovations
nts.



Click Icon for **Location**